

Extraordinarily high-contrast and wide-view liquid-crystal displays

Qi Hong, Thomas X. Wu, Xinyu Zhu, Ruibo Lu, and Shin-Tson Wu^{a)}
College of Optics and Photonics, University of Central Florida, Orlando, Florida 32816

(Received 18 October 2004; accepted 2 February 2005; published online 15 March 2005)

A computer simulation model based on oblique-angle Jones matrix and Poincaré sphere is developed for optimizing the design of film-compensated multidomain vertical-alignment liquid crystal display (VA-LCD). According to this design, a contrast ratio higher than 10 000:1 is predicted over the entire $\pm 85^\circ$ viewing cone for the four-domain VA-LCD. Potential application for liquid-crystal display television is emphasized. © 2005 American Institute of Physics. [DOI: 10.1063/1.1887815]

High-contrast ratio and wide-viewing angle are critical requirements for liquid-crystal (LC) televisions. Presently, the view angle of a liquid-crystal display (LCD) is defined at isocontrast ratio greater than 10:1. A low contrast ratio implies a poor color rendering. Vertical alignment (VA) LCD exhibits an excellent contrast ratio at the normal viewing direction, weak color dispersion, and fast response time,¹⁻⁴ however, its dark state light leakage at oblique angles is relatively large. Several analyses indicate that the dark state light leakage is determined by the polarization state of the outgoing beam before reaching the analyzer.⁵⁻¹⁰ To reduce dark state light leakage, different LC operation modes and compensation films have been proposed. For examples, the in-plane-switching and optically compensated bend mode could exhibit a 300:1 contrast ratio over the $\pm 80^\circ$ viewing cone.⁵⁻⁹ However, for VA mode, the reported $\sim 100:1$ isocontrast ratio is limited to the $\pm 50^\circ$ viewing cone.¹⁰ This is insufficient for TV applications. There is an urgent need to extend the high-contrast ratio to a wider-viewing cone.

In this letter, we optimize the design for a four-domain VA-LCD which shows an extraordinarily high-contrast ratio over the entire $\pm 85^\circ$ viewing cone. We begin with analyzing the polarization states inside the VA-LCD, and then optimizing the compensation films using the oblique-angle Jones matrix, and minimizing the dark state light leakage. Finally, we are able to obtain a VA-LCD with isocontrast ratio higher than 10 000:1 over the $\pm 85^\circ$ viewing cone.

Figure 1 depicts the device configuration of a four-domain VA-LCD with A-plate and C-plate compensation films. The absorption axes of polarizer and analyzer are in 0° and 90° , respectively. Two A-plate films with equal thicknesses are laminated on the inner side of the crossed polarizers with their slow axes perpendicular to the absorption axes of the corresponding polarizers. Two equal thickness C-plate films are inserted between A-plate films and glass substrates. In the bright state, four domains are formed at 45° , 135° , 225° , and 315° . We use the finite difference method to simulate the bright state LC director distributions.^{11,12} The entire LCD is treated as multilayer device with each layer approximated by uniaxial anisotropic media.¹³ Assuming that the reflections between internal layers are negligible, the transmitted wave after the m th layer is related to the incident wave as¹³

$$\begin{bmatrix} E_{\parallel} \\ E_{\perp} \end{bmatrix}_m = J_m \cdot J_{m-1} \cdots J_2 \cdot J_1 \cdot J_{\text{ent}} \cdot \begin{bmatrix} E_{\parallel} \\ E_{\perp} \end{bmatrix}_{\text{in}}, \quad (1)$$

where J_m is the Jones matrix of the m th layer and J_{ent} is the correction matrix considering reflections on the air-polarizer interface. Approximating the propagating light inside the LCD by the plane wave, at the viewing angle θ and azimuthal angle of incident plane ϕ , J_m is obtained as¹⁴

$$J_m = R(\psi) \cdot \begin{bmatrix} e^{-j(2\pi/\lambda)(d/\cos \theta_m)n'_e} & 0 \\ 0 & e^{-j(2\pi/\lambda)(d/\cos \theta_m)n'_o} \end{bmatrix} \cdot R(-\psi), \quad (2)$$

$$R(\psi) = \begin{bmatrix} \cos \Psi & -\sin \Psi \\ \sin \Psi & \cos \Psi \end{bmatrix},$$

where λ is the wavelength, d is the thickness of the m th layer, θ_m is the angle of light inside the m th layer, and n'_e and n'_o are the refractive indices of the m th layer media on the wave plane.^{11,13} As shown in Fig. 2, $O'L$ denotes the projection of the optical axis of the m th layer (OL) on the wave plane and Ψ is the angle between E_{\parallel} and $O'L$, which is found to be

$$\Psi = \text{sign} \left(\sin \theta_{ne} - \frac{\cos \theta_{ne} \cos(\phi - \phi_{ne})}{\tan \theta_m} \right) \times \left[\arcsin \left(\frac{\cos \theta_{ne} \sin(\phi - \phi_{ne})}{\sin \Theta} \right) \right], \quad (3)$$

where $\text{sign}()$ is the sign function to distinguish angles




FIG. 1. Structure of VA-LCD for optimized design. The slow axis of each A-plate film is perpendicular to the absorption axis of the adjacent polarizer.

^{a)}Electronic mail: swu@mail.ucf.edu




FIG. 2. The principal optical axis of the m th layer (\overline{OL}) and its projection on the wave plane ($\overline{O'L}$).

greater than 90° , and θ_{ne} and ϕ_{ne} are the tilt and twist angles of \overline{OL} , respectively. In Fig. 2, Θ is the angle between \overline{OL} and wave vector (\vec{k}), which can be obtained from the dot product of \overline{OL} and \vec{k} .

The state of polarization can be represented by Stokes parameters and plotted on Poincaré sphere, as shown in Fig. 3, after E_{\parallel} and E_{\perp} are solved.¹⁴ Coordinates of Poincaré sphere are standard Stokes parameters S_1 , S_2 , and S_3 . Due to the symmetry of VA-LCD in the dark state, we only investigate the states of polarization when $0^\circ \leq \phi \leq 90^\circ$. Results are applicable to $90^\circ \leq \phi \leq 360^\circ$. With the known E_{\parallel} and E_{\perp} , the bright and dark state transmittance can be obtained.¹³ Contrast ratio is defined as the ratio of bright state transmittance over dark state light leakage.

In Fig. 3, **A** denotes the state of polarization absorbed by the analyzer, **B** denotes the state of polarization in front of the analyzer, **D** denotes the state of polarization emerging from the VA LC layer, **G** denotes the state of polarization emerging behind the first A-plate film, and **P** denotes the state of polarization passing through the polarizer.

To analyze the effects of viewing angle on the states of polarization inside VA-LCD, we first obtain the Jones matrix of VA LC layer from Eq. (2) as

$$J = e^{-j(\pi/\lambda)(d/\cos \theta_{LC})(n'_e+n'_o)} \times \begin{bmatrix} e^{-j(\pi/\lambda)(d/\cos \theta_{LC})(n'_e-n'_o)} & 0 \\ 0 & e^{j(\pi/\lambda)(d/\cos \theta_{LC})(n'_e-n'_o)} \end{bmatrix}. \quad (4)$$

As Eq. (4) shows, there is no coupling between E_{\parallel} and E_{\perp} so that S_1 is not changed when light passes through the LC layer. However, the phase of E_{\perp} leads the phase of E_{\parallel} for a positive LC ($n_e > n_o$) and the difference increases with viewing angle θ . Therefore, at oblique viewing angle, S_3 of **D** is




FIG. 3. States of polarization inside VA-LCD with optimal compensation films at $\theta=70^\circ$, $\phi=45^\circ$, and $\lambda=550$ nm. **P**, **G**, **D**, **B**, and **A** denote the state of polarization passing through polarizer, emerging from the first A-plate film, emerging from the VA LC layer, in front of the analyzer, and absorbed by the analyzer, respectively.




FIG. 4. Angle between the maximum transmission direction of the polarizer ($\overline{O'Q_{pol}}$) and the maximum absorption direction of the analyzer ($\overline{O'L_{ana}}$). $\overline{O'Q_{pol}}$ is perpendicular to the maximum absorption direction of the polarizer ($\overline{O'L_{pol}}$).

greater than zero and increases with viewing angle for a linearly polarized input light. If there is no anisotropic media between the LC layer and analyzer, **B** equals **D**. Next, we model linear polarizer as lossy uniaxial anisotropic media. As Fig. 4 shows, on the wave plane, the maximum absorption direction of analyzer is along $\overline{O'L_{ana}}$ and the maximum transmission direction of polarizer is along $\overline{O'Q_{pol}}$. Therefore, the difference between S_1 of **P** and S_1 of **A** depends on the angle between $\overline{O'Q_{pol}}$ and $\overline{O'L_{ana}}$, which is related to viewing angle θ and azimuthal angle ϕ as

$$\Phi = \arctan\left(\frac{\cos \phi}{\sin \phi \cos \theta_{pol}}\right) + \arctan\left(\frac{\sin \phi}{\cos \phi \cos \theta_{pol}}\right) - 90^\circ. \quad (5)$$

Taking the derivative of Φ with respect to ϕ reveals that Φ reaches maximum at $\phi=45^\circ$. Next, taking the derivative of Φ with respect to θ_{pol} at $\phi=45^\circ$ shows that Φ increases with viewing angle θ . Therefore, the maximum of the difference between S_1 of **A** and S_1 of **P** occurs at maximal viewing angle when $\phi=45^\circ$. For a conventional VA-LCD, S_1 of **P** is not changed before the light reaches analyzer. Therefore, the S_1 of **B** equals the S_1 of **P**.

For a conventional VA-LCD, the difference between **B** and **A** increases with viewing angle. If **B** and **A** are equal at a large oblique viewing angle when $\phi=45^\circ$, then the dark state light leakage would be greatly reduced at other viewing angles as well. Due to the symmetry of the device configuration shown in Fig. 1, the S_1 of **G** should satisfy the following condition

$$S_{1-G} = (S_{1-P} + S_{1-A})/2. \quad (6)$$

Figure 3 illustrates the above relationship.

To design an A-plate film, we first find $E_{\parallel-G}$ and $E_{\perp-G}$ (after the first A-plate film) in terms of the A-plate film thickness ($d_{A-plate}$) using Eq. (1), provided that the polarizer thickness, refractive index, and the A-plate refractive index are known. Next, after S_1 of **A** and S_1 of **P** are solved, Eq. (6) can be expressed as

$$S_{1-G} = \frac{(|E_{\parallel-G}|^2 - |E_{\perp-G}|^2)}{(|E_{\parallel-G}|^2 + |E_{\perp-G}|^2)} = \frac{(S_{1-P} + S_{1-A})}{2}. \quad (7)$$

Simplification of Eq. (7) results in

$$H_1 \cdot \cos(K_1 \cdot d_{A-plate}) - L_1 = (S_{1-P} + S_{1-A})/2, \quad (8)$$

where constants H_1 , K_1 , and L_1 depend on the polarizer thickness and the refractive indices of the polarizer and the




FIG. 5. Isocontrast ratio plot of the four-domain VA LCD with optimal compensation films optimized at $\theta=70^\circ$ and $\phi=45^\circ$.

A-plate film. Finally, from Eq. (8) we obtain $d_{A\text{-plate}}$ in the form of

$$d_{A\text{-plate}} = \frac{1}{K_1} \cdot \arccos\left(\frac{(S_{1-P} + S_{1-A})/2 + L_1}{H_1}\right). \quad (9)$$

To design the C-plate film, we first note that for the optimum design, \mathbf{B} satisfies conditions $S_{1-B}=S_{1-A}$ and $S_{3-B}=S_{3-A}$. Similarly, we can find $E_{\parallel B}$ and $E_{\perp B}$ (after the second A-plate film) in terms of the C-plate thickness ($d_{C\text{-plate}}$). Next, applying $S_{1-B}=S_{1-A}$ yields

$$\frac{(|E_{\parallel B}|^2 - |E_{\perp B}|^2)}{(|E_{\parallel B}|^2 + |E_{\perp B}|^2)} = S_{1-A}. \quad (10)$$

After simplifying Eq. (10), we derive the following expression

$$H_2 \cdot \cos(K_2 \cdot d_{C\text{-plate}}) + L_2 \cdot \sin(K_2 \cdot d_{C\text{-plate}}) = S_{1-A}, \quad (11)$$

where constants H_2 , K_2 , and L_2 depend on the thickness of polarizer, A-plate film, LC cell gap, and the refractive indices of polarizer, A-plate film, C-plate film, and LC material. Finally, from Eq. (11), we can find the thickness of each C-plate film $d_{C\text{-plate}}$.

Now, we apply the above methodology to design a VA-LCD shown in Fig. 1. The employed refractive indices of the polarizers, LC, A-plate, and C-plate are as follows: $n_{e\text{-pol}} = 1.5 + i \times 3.251 \times 10^{-3}$ and $n_{o\text{-pol}} = 1.5 + i \times 2.86 \times 10^{-5}$, $n_{e\text{-LC}} = 1.5514$ and $n_{o\text{-LC}} = 1.4737$ at $\lambda = 550$ nm, $n_{e\text{-A-plate}} = 1.5124$ and $n_{o\text{-A-plate}} = 1.5089$, and $n_{e\text{-C-plate}} = 1.5089$ and $n_{o\text{-C-plate}} = 1.5124$. The thickness of the polarizer is $150 \mu\text{m}$ and LC cell gap is $4 \mu\text{m}$.

We designed the compensation films at $\theta=70^\circ$, $\phi=45^\circ$, and $\lambda=550$ nm. From Eq. (9), we find the A-plate thickness $d_{A\text{-plate}}=26.62 \mu\text{m}$ and the $d\Delta n$ of each A-plate film is 93.17 nm. Using Eq. (11), we find the thickness of each C-plate film $d_{C\text{-plate}}=21.54 \mu\text{m}$. Therefore, the $d\Delta n$ of each C-plate film is -75.39 nm. With this design, in the dark state, the polarization state in front of the analyzer equals the polarization state absorbed by the analyzer at $\theta=70^\circ$ and $\phi=45^\circ$. Therefore, a contrast ratio higher than $10\,000:1$ over $\pm 85^\circ$ viewing cone is achieved, as shown in Fig. 5. The above ideal simulation results are obtained using the 4×4 matrix method.¹⁵ In a real display panel, the actual contrast ratio could be lowered because the above mentioned ideal parameters may not be precisely controlled. Moreover, the compensation film thickness variation and nonuniformity, LC alignment distortion near spacer balls, stress birefringence from films and substrates, and interface reflections between layers could also reduce the contrast ratio.




FIG. 6. Tolerance in the errors of an $d\Delta n$ of an A-plate film, C-plate film, and LC cell when the compensation films are optimized at $\theta=70^\circ$ and $\phi=45^\circ$. The optimal $d\Delta n$ value of each A-plate film is 93.17 nm, -75.39 nm for each C-plate film, and 310.8 nm for the LC cell.

Design tolerance is an important concern for display manufacturing. Figure 6 plots the minimum contrast ratio over the entire $\pm 85^\circ$ viewing cone if the $d\Delta n$ of A-plate film, C-plate film, and LC cell varies by $\pm 5\%$ assuming that the compensation films are optimized at $\theta=70^\circ$ and $\phi=45^\circ$. From Fig. 6, the proposed VA-LCD is less sensitive to the $d\Delta n$ variation of the C-plate but more sensitive to the $d\Delta n$ variation of the LC cell. In the least favorable case (i.e., the LC $d\Delta n$ is 5% higher than the optimal value), the minimum contrast ratio is still higher than $100:1$.

In conclusion, we demonstrate a wide-view VA LCD with a superb contrast ratio. We use the Poincaré sphere method to obtain the optimal compensation film parameters and then use 4×4 matrix method to calculate and plot the isocontrast contours. In the proposed design, a contrast ratio higher than $10\,000:1$ is obtained over the entire $\pm 85^\circ$ viewing cone for the film-compensated four-domain VA LCD. The tolerance of the design is also investigated. Within $\pm 5\%$ manufacturing margin, the contrast ratio maintains higher than $100:1$.

The authors are indebted to the financial support from Toppoly Optoelectronics Corporation.

¹S. T. Wu and D. K. Yang, *Reflective Liquid Crystal Displays* (Wiley, New York, 2001).

²S. H. Hong, Y. H. Jeong, H. Y. Kim, H. M. Cho, W. G. Lee, and S. H. Lee, *J. Appl. Phys.* **87**, 8259 (2000).

³S. Kataoka, A. Takeda, H. Tsuda, Y. Koike, H. Inoue, T. Fujikawa, T. Sasabayashi, and K. Okamoto, *Soc. Inf. Display Tech. Digest* **37**, 1066 (2001).

⁴K. Ohmuro, S. Kataoka, T. Sasaki, and Y. Koike, *Soc. Inf. Display Tech. Digest* **33**, 845 (1997).

⁵Y. Saitoh, S. Kimura, K. Kusafuka, and H. Shimizu, *Jpn. J. Appl. Phys., Part 1* **37**, 4822 (1998).

⁶T. Ishinabe, T. Miyashiita, and T. Uchida, *Soc. Inf. Display Tech. Digest* **36**, 1094 (2000).

⁷H. Mori, Y. Itoh, Y. Nishiura, T. Nakamura, and Y. Shinagawa, *Jpn. J. Appl. Phys., Part 1* **36**, 143 (1997).

⁸T. Miyashita, C. L. Kuo, M. Suzuki, and T. Uchida, *Soc. Inf. Display Tech. Digest* **31**, 797 (1995).

⁹H. Mori, Y. Itoh, Y. Nishiura, T. Nakamura, and Y. Shinagawa, *Soc. Inf. Display Tech. Digest* **33**, 941 (1997).

¹⁰J. Chen, K. H. Kim, J. J. Jyu, J. H. Souk, J. R. Kelly, and P. J. Bos, *Soc. Inf. Display Tech. Digest* **34**, 315 (1998).

¹¹J. E. Anderson, C. Titus, P. Watson, and P. J. Bos, *Soc. Inf. Display Tech. Digest* **38**, 906 (2002).

¹²M. V. K. Chari and S. J. Salon, *Numerical Methods in Electromagnetism* (Academic, San Diego, 2000).

¹³A. Lien, *Appl. Phys. Lett.* **57**, 2767 (1990).

¹⁴S. Huard, *Polarization of Light* (Wiley, New York, 1997).

¹⁵D. W. Berreman, *J. Opt. Soc. Am.* **62**, 502 (1972).